

GÓRNY PRZYSTANEK

WYMIARY PLATFORMY D-TA

PLATFORMA DELTA


KĄT NACH.

min. 15°

max. 45°

DOLNY PRZYSTANEK



ZASILANIE



PLATFORMA ZŁOŻONA

PLATFORMA ROZŁOŻONA

| | | |
|------------|--------------------|---------|
| 15° | 0,5 L + 961 | L + 897 |
| 20° | 0,5 L + 787 | L + 724 |
| 25° | 0,5 L + 690 | L + 630 |
| 30° | 0,5 L + 621 | L + 565 |
| 35° | 0,5 L + 567 | L + 510 |
| 40° | 0,5 L + 521 | L + 481 |
| 45° | 0,5 L + 481 | L + 451 |
| P | b | c |
| NACHYLENIE | L - SPECJALNE WYM. | |



| | | | | | | | | | | | | | | | |
|------------|---------|------|-----|-----|------|---------|------|-----|------|------|----------|------|-----|------|------|
| 15° | 1336 | 1647 | 169 | 38 | 1790 | 1411 | 1797 | 244 | -37 | 1817 | 1461 | 1897 | 294 | -87 | 1826 |
| 20° | 1162 | 1474 | 160 | 48 | 1848 | 1237 | 1624 | 235 | -27 | 1884 | 1287 | 1724 | 285 | -77 | 1896 |
| 25° | 1065 | 1381 | 174 | 33 | 1917 | 1140 | 1530 | 249 | -42 | 1964 | 1190 | 1630 | 299 | -92 | 1979 |
| 30° | 996 | 1315 | 190 | 14 | 1994 | 1071 | 1465 | 265 | -61 | 2052 | 1121 | 1565 | 315 | -111 | 2071 |
| 35° | 942 | 1268 | 208 | -8 | 2081 | 1017 | 1418 | 283 | -83 | 2151 | 1067 | 1518 | 333 | -133 | 2174 |
| 40° | 896 | 1231 | 229 | -34 | 2181 | 971 | 1381 | 304 | -109 | 2265 | 1021 | 1481 | 354 | -159 | 2293 |
| 45° | 856 | 1201 | 251 | -63 | 2300 | 931 | 1351 | 326 | -138 | 2400 | 981 | 1451 | 376 | -188 | 2433 |
| P | b | c | e | e1 | S | b | c | e | e1 | S | b | c | e | e1 | S |
| NACHYLENIE | L = 750 | | | | | L = 900 | | | | | L = 1000 | | | | |



LIFT PLUS PL
Kaczmarczyk Spółka Jawna
Strażacka 33, 42-263 Wrzosowa
TEL./FAX 343140310

www.liftplus.pl
biuro@liftplus.pl